

Drug Coverage Policy

Effective Date07/01/2025
Coverage Policy NumberIP0092
Policy TitleMifepristone

Cushing's - Mifepristone

Korlym® (mifepristone 300 mg tablets - Corcept, generic)

INSTRUCTIONS FOR USE

The following Coverage Policy applies to health benefit plans administered by Cigna Companies. Certain Cigna Companies and/or lines of business only provide utilization review services to clients and do not make coverage determinations. References to standard benefit plan language and coverage determinations do not apply to those clients. Coverage Policies are intended to provide quidance in interpreting certain standard benefit plans administered by Cigna Companies. Please note, the terms of a customer's particular benefit plan document [Group Service Agreement, Evidence of Coverage, Certificate of Coverage, Summary Plan Description (SPD) or similar plan document] may differ significantly from the standard benefit plans upon which these Coverage Policies are based. For example, a customer's benefit plan document may contain a specific exclusion related to a topic addressed in a Coverage Policy. In the event of a conflict, a customer's benefit plan document always supersedes the information in the Coverage Policies. In the absence of a controlling federal or state coverage mandate, benefits are ultimately determined by the terms of the applicable benefit plan document. Coverage determinations in each specific instance require consideration of 1) the terms of the applicable benefit plan document in effect on the date of service; 2) any applicable laws/regulations; 3) any relevant collateral source materials including Coverage Policies and; 4) the specific facts of the particular situation. Each coverage request should be reviewed on its own merits. Medical directors are expected to exercise clinical judament where appropriate and have discretion in making individual coverage determinations. Where coverage for care or services does not depend on specific circumstances, reimbursement will only be provided if a requested service(s) is submitted in accordance with the relevant criteria outlined in the applicable Coverage Policy, including covered diagnosis and/or procedure code(s). Reimbursement is not allowed for services when billed for conditions or diagnoses that are not covered under this Coverage Policy (see "Coding Information" below). When billing, providers must use the most appropriate codes as of the effective date of the submission. Claims submitted for services that are not accompanied by covered code(s) under the applicable Coverage Policy will be denied as not covered. Coverage Policies relate exclusively to the administration of health benefit plans. Coverage Policies are not recommendations for treatment and should never be used as treatment quidelines. In certain markets, delegated vendor quidelines may be used to support medical necessity and other coverage determinations.

Overview

Mifepristone, a cortisol receptor blocker, is indicated to control hyperglycemia secondary to hypercortisolism in adults with **endogenous Cushing's syndrome** who have type 2 diabetes mellitus or glucose intolerance and have failed surgery or are not candidates for surgery.¹

Page 1 of 5

Coverage Policy Number: IP0092

Mifepristone should not be used for the treatment of type 2 diabetes mellitus unrelated to endogenous Cushing's syndrome.¹

Disease Overview

Cushing's syndrome refers to the general state of excessive levels of cortisol (hypercortisolism) in the blood.^{2,3} Hypercortisolism can occur for reasons that are either endogenous or exogenous in nature (e.g., Cushing's disease, cortisol-containing medications, adrenal gland tumor, certain cancers). Cushing's disease (hypercortisolism caused by pituitary adenomas) is the most common type of adrenocorticotropic hormone (ACTH)-dependent Cushing's syndrome. Treatment for Cushing's syndrome requires a multi-modal approach. The goals of treatment are normalization of cortisol excess, long-term disease control, avoidance of recurrence, and reversal of clinical features.⁴

Guidelines

The Endocrine Society published clinical practice guidelines (2015) for the treatment of Cushing's syndrome.⁵ First-line treatment involves resection of the tumor, unless surgery is not possible or is unlikely to meaningfully reduce excess glucocorticoid levels. In patients with ACTH-dependent Cushing's syndrome who underwent non-curative surgery or for whom surgery was not possible, the guidelines advocate several second-line therapies (e.g., repeat transsphenoidal surgery, radiotherapy, medical therapy, bilateral adrenalectomy). For Cushing's disease, the guidelines recommend all medical therapies as second-line options after transsphenoidal surgery: steroidogenesis inhibitors (ketoconazole tablets, Metopirone® [metyrapone capsules], Lysodren® [mitotane tablets], etomidate injection) in patients either with or without radiotherapy/radiosurgery; pituitary-directed medical treatments (cabergoline tablets, Signifor® [pasireotide subcutaneous injection]) in patients who are not surgical candidates or who have persistent disease; and mifepristone tablets (Korlym®, generic) in patients with diabetes or glucose intolerance who are not surgical candidates or who have persistent disease after transsphenoidal surgery.

Coverage Policy

Policy Statement

Prior Authorization is recommended for prescription benefit coverage of mifepristone. All approvals are provided for the duration noted below. In cases where the approval is authorized in months, 1 month is equal to 30 days. Because of the specialized skills required for evaluation and diagnosis of patients treated with mifepristone as well as the monitoring required for adverse events and long-term efficacy, approval requires mifepristone to be prescribed by or in consultation with a physician who specializes in the condition being treated.

Mifepristone is considered medically necessary when the following is met:

FDA-Approved Indication

- **1. Endogenous Cushing's Syndrome.** Approve for 1 year if the patient meets ALL of the following (A, B, C, D, E <u>and</u> F):
 - **A)** Patient is ≥ 18 years of age; AND
 - **B)** Mifepristone is being used to control hyperglycemia secondary to hypercortisolism in patients who have type 2 diabetes mellitus or glucose intolerance; AND
 - **C)** Patient meets ONE of the following (i, ii, or iii):
 - **i.** According to the prescriber, the patient is <u>not</u> a candidate for surgery or surgery has <u>not</u> been curative; OR
 - ii. Patient is awaiting surgery for endogenous Cushing's Syndrome; OR

- **iii.** Patient is awaiting therapeutic response after radiotherapy for endogenous Cushing's Syndrome; AND
- **D)** Patient meets ONE of the following (i or ii):
 - i. Patient has tried one of ketoconazole tablets, Metopirone (metyrapone capsules), Lysodren (mitotane tablets), Signifor (pasireotide subcutaneous injection), or Signifor LAR (pasireotide intramuscular injection) for the treatment of endogenous Cushing's syndrome; OR
 - ii. Patient is currently receiving mifepristone; AND
- **E)** The medication is prescribed by or in consultation with an endocrinologist or a physician who specializes in the treatment of Cushing's syndrome.
- F) Preferred product criteria is met for the product(s) as listed in the below table(s)

Employer Plans:

Product	Criteria		
Korlym (mifepristone)	Trial of mifepristone (the bioequivalent generic product) AND		
	cannot take due to a formulation difference in the inactive ingredient(s) which would result in a significant allergy or serious		
	adverse reaction		

Individual and Family Plans:

Product	Criteria	
Korlym (mifepristone)	Trial of mifepristone (the bioequivalent generic product) [requires	
	prior authorization] AND cannot take due to a formulation difference in the inactive ingredient(s) which would result in a significant allergy or serious adverse reaction	

When coverage is available and medically necessary, the dosage, frequency, duration of therapy, and site of care should be reasonable, clinically appropriate, and supported by evidence-based literature and adjusted based upon severity, alternative available treatments, and previous response to therapy.

Receipt of sample product does not satisfy any criteria requirements for coverage.

Mifepristone for any other use is considered not medically necessary, including the following (this list may not be all inclusive; criteria will be updated as new published data are available):

- 1. Type 2 Diabetes Not Associated with Endogenous Cushing's Syndrome. Korlym should not be used for the treatment of type 2 diabetes unrelated to endogenous Cushing's syndrome.¹
- **2. Psychotic Features of Psychotic Depression.** Mifepristone has been used to treat the psychotic features of psychotic depression. Individual trials have demonstrated variable efficacy results.^{6,7} In some of the studies comparing mifepristone with placebo, various statistically significant improvements in psychiatric symptoms have been noted with mifepristone relative to placebo; however, the methodology and statistical analyses of some studies have been questioned. Data are inconclusive.

References

- 1. Korlym® tablets [prescribing information]. Menlo Park, CA: Corcept; September 2024.
- 2. Sharma ST, Nieman LK, Feelders RA. Cushing's syndrome: epidemiology and developments in disease management. *Clin Epidemiol*. 2015;7:281–293.
- 3. Tritos NA, Biller BM. Advances in medical therapies for Cushing's syndrome. *Discov Med*. 2012;13(69):171-179.
- 4. Biller BMK, Grossman AB, Stewart PM, et al. Treatment of adrenocorticotropin-dependent Cushing's syndrome: A consensus statement. *J Clin Endocrinol Metab*. 2008;93:2454-2462.
- 5. Nieman LK, Biller BM, Findling JW. Treatment of Cushing's Syndrome: An Endocrine Society Clinical Practice Guideline. *J Clin Endocrinol Metab*. 2015;100(8):2807-2831.
- 6. DeBattista C, Belanoff J, Glass S, et al. Mifepristone versus placebo in the treatment of psychosis in patients with psychotic major depression. *Biol Psychiatry*. 2006;60:1343-1349.
- 7. Flores BH, Kenna H, Keller J, et al. Clinical and biological effects of mifepristone treatment for psychotic depression. *Neuropychopharmacology*. 2006;31:628-636

Revision Details

Type of Revision	Summary of Changes	Date
Selected Revision	Mifepristone tablets added to the policy.	07/01/2024
	Endogenous Cushing's Syndrome: Added a standard of care prerequisite step. Added a preferred product prerequisite step.	
	Endogenous Cushing's Syndrome – Patient Awaiting Surgery: Decreased the initial authorization duration from 6 to 4 months. Added a preferred product prerequisite step.	
	Endogenous Cushing's Syndrome – Patient Awaiting Response after Radiotherapy: Decreased the initial authorization duration from 6 to 4 months. Added a preferred product prerequisite step. Added preferred product criteria. For Korlym on all Employer and JED formularies	
Annual Review	Endogenous Cushing's Syndrome: A patient who is awaiting surgery and a patient who is awaiting therapeutic response after radiotherapy were added as options of approval; for these conditions patient who is awaiting surgery and a patient who is awaiting therapeutic response after radiotherapy, a requirement was added that the patient has tried one other medication or the patient is currently receiving mifepristone were added. Endogenous Cushing's Syndrome – Patient Awaiting Surgery: This condition was removed from the policy and is now addressed under Endogenous Cushing's Syndrome.	8/1/2024

	Endogenous Cushing's Syndrome – Patient Awaiting Therapeutic Response After Radiotherapy: This condition was removed from the policy and is now addressed under Endogenous Cushing's Syndrome.	
Selected Revision	Reworded the Conditions Not Covered statement.	07/01/2025

The policy effective date is in force until updated or retired.

[&]quot;Cigna Companies" refers to operating subsidiaries of The Cigna Group. All products and services are provided exclusively by or through such operating subsidiaries, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Evernorth Behavioral Health, Inc., Cigna Health Management, Inc., and HMO or service company subsidiaries of The Cigna Group. © 2025 The Cigna Group.