# HEDIS and QRS Quick Reference Guide: Tips and best practices to improve quality of care and outcomes

For Health Care Providers

# Helping you improve your quality scores, as you improve the health of your patients.

The National Committee for Quality Assurance (NCQA) Healthcare Effectiveness Data and Information Set (HEDIS®)\* and Centers for Medicare & Medicaid Services (CMS) Quality Rating System (QRS) measures are not only important for you as a provider, but they also help guide your patients to quality care.

Through the integration of HEDIS and QRS measures, the quality teams monitor compliance for our commercial and Individual & Family Plan customers. This includes the important components of annual screening recommendations for preventive health and chronic illness. As your trusted partner with the mutual goal of helping people lead healthier lives, we are committed to providing support in every way we can.

Utilizing complete and accurate codes can significantly reduce the number of medical records we may request from you for HEDIS and QRS. This quick reference guide outlines up-to-date codes for 2025 that will help you maintain, and even improve, your HEDIS and QRS scores.\*\*

Current Procedural Terminology (CPT®) Category II and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) codes are supplemental tracking codes that can be used for performance measurement. They make it easier for you to share data with us quickly and efficiently. Adding CPT Category II and ICD-10-CM codes on claims for certain preventive care services and test results can give us a more complete picture of your patients' health—and help you close care opportunities tied to HEDIS and QRS performance measures.

### Billing code glossary

- Current Procedural Terminology (CPT®)
- Healthcare Common Procedure Coding System (HCPCS)
- International Classification of Diseases, 10th Revision (ICD-10), Clinical Modification (CM)
- Current Procedural Terminology Category II (CPT Category II)

### Benefits of CPT Category II and ICD-10-CM codes

- Improved health outcomes
- With more precise data, we can refer patients to programs that may be appropriate for their health situation to



<sup>\*\*</sup>Documentation requirements and billing code guidance based on NCQA specifications.



- help support your plan of care.
- Enhanced performance
- With better information, we can work with you to help identify opportunities to improve patient care. This may lead to better performance on HEDIS measures for your practice.
- More relevant patient education
- With more complete information, we can avoid sending reminders to patients to get screenings they may have already completed.
- Fewer medical record requests. By submitting accurate CPT Category II and ICD-10-CM codes, you can decrease our need to request medical records from your office to confirm care that you've already completed. This will reduce disruption for you and your staff.

### Tips and best practices for medical record documentation to close gaps in care and improve quality outcomes

- Customer name and date of birth should appear on all pages of the documentation.
- Complete dates (mm/dd/yyyy) should be on each entry.
- Outpatient blood pressure documented with both systolic and diastolic levels indicated.
- For customers being monitored due to diabetes:
  - HbA1c, Glucose Management Indicator (GMI), and Ambulatory Glucose Profile (AGP) reports include date of the test(s) and results.
  - Confirm receipt and review of all ophthalmologist or optometrist reports for dilated or retinal exams using CPT Category II codes (2022F-2026F, 2033F, 3072F).
    - Customers without retinopathy should have a dilated or retinal eye exam every two years.
    - o Customers with retinopathy should have a dilated or retinal eye exam every year.
- For pediatric and adolescent well care visits, ensure that date of visit(s) and documentation including body mass index (BMI) percentiles, height, weight, along with counseling referrals and anticipatory guidance provided for nutrition and physical activity are clearly indicated.
- Customer-reported services and biometric values (height, weight, BMI percentile, BP, etc.), as well as telephone visits, e-visits, and virtual check-ins, should be included when submitting medical records.

### CPT II and ICD-10-CM codes accepted by HEDIS and QRS

The CPT Category II and ICD-10-CM codes in the table below can be added on claims for certain preventive care services and test results. CPT Category II codes are not a replacement for CPT codes. CPT codes need to be used for the services provided. For a full list of CPT Category II codes, visit ama-assn.org, and select CPT.

Blood Pre	Blood Pressure (CBP, BPC-E, and BPD)				
3074F	CPT CAT II	Most recent systolic blood pressure less than 130 mm Hg			
3075F	CPT CAT II	Most recent systolic blood pressure 130-139 mm Hg			
3077F	CPT CAT II	Most recent systolic blood pressure greater than or equal to 140 mm Hg			
3078F	CPT CAT II	Most recent diastolic blood pressure less than 80 mm Hg			
3079F	CPT CAT II	Most recent diastolic blood pressure 80 - 89 m Hg			
3080F	CPT CAT II	Most recent diastolic blood pressure greater than or equal to 90 mm Hg			
Cervical (	Cervical Cancer Screening (CCS-E)				
Q51.5	ICD-10 CM	Agenesis and aplasia of cervix			
Z90.710	ICD-10 CM	Acquired absence of both cervix and uterus			
Z90.712	ICD-10 CM	Acquired absence of cervix with remaining uterus			
Glycemic	Status Asses	ssment (GSD, APM-E) (HbA1c or GMI)			
3044F	CPT CAT II	Most recent hemoglobin A1c less than 7%			
3046F	CPT CAT II	Most recent hemoglobin A1c greater than 9%			
3051F	CPT CAT II	Most recent hemoglobin A1c greater than or equal 7% and less than 8%			
3052F	CPT CAT II	Most recent hemoglobin A1c greater than or equal 8% and less than or equal to 9%			



2023F CPT CAT II Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed; with evidence of retinopathy (DM)  2023F CPT CAT II Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed; without evidence of retinopathy (DM)  2024F CPT CAT II Tandard field stereoscopic retinal photos with interpretation by an ophthalmologist or optometrist documented and reviewed; with evidence of retinopathy (DM)  2025F CPT CAT II Tandard field stereoscopic retinal photos with interpretation by an ophthalmologist or optometrist documented and reviewed; with evidence of retinopathy (DM)  2026F CPT CAT II Expression of the evidence of retinopathy (DM)  2033F CPT CAT II Expression of the evidence of retinopathy (DM)  2033F CPT CAT II Low risk for retinopathy (alignosis from 7 standard field stereoscopic retinal photos results documented and reviewed; without evidence of retinopathy (DM)  2034F CPT CAT II Low risk for retinopathy (no evidence of retinopathy (DM)  2035F CPT CAT II Low risk for retinopathy (no evidence of retinopathy in the prior year) (DM)  2049F CPT CAT II Most recent LDI-C less than 100 mg/dL (CAD) (DM)  3049F CPT CAT II Most recent LDI-C less than 100 mg/dL (CAD) (DM)  3050F CPT CAT II Most recent LDI-C greater than or equal to 130 mg/dL (CAD) (DM)  2050F CPT CAT II Intial prenatal care visit (report at first prenatal encounter with health care professional providing obstetrical care. Report also date of visit and, in a separate field, the date of the last menstrual period (LMP) (Prenatal).  2050F CPT CAT II Prenatal flow sheet documented in medical record by first prenatal visit (documentation includes at minimum blood pressure, weight, urine protein, uterine size, fetal heart tones, and estimated date of delivery). Report also: date of visit and, in a separate field, the date of the last menstrual period (LMP) (Note: If reporting 5051 Prenatal flow sheet, it is not necessary to report 0500F initial prenatal care visi	Dilated or	r Retinal Eye E	Exam (EED)
documented and reviewed; with evidence of retinopathy (DM)  2024F CPT CAT II 7 standard field stereoscopic retinal photos with interpretation by an ophthalmologist or optometrist documented and reviewed; without evidence of retinopathy (DM)  2025F CPT CAT II 7 standard field stereoscopic retinal photos with interpretation by an ophthalmologist or optometrist documented and reviewed; with evidence of retinopathy (DM)  2026F CPT CAT II 7 standard field stereoscopic retinal photos with interpretation by an ophthalmologist or optometrist documented and reviewed; with evidence of retinopathy (DM)  2026F CPT CAT II Eye imaging validated to match diagnosis from 7 standard field stereoscopic retinal photos results documented and reviewed; with evidence of retinopathy (DM)  2033F CPT CAT II Eye imaging validated to match diagnosis from 7 standard field stereoscopic retinal photos results documented and reviewed; without evidence of retinopathy (DM)  3072F CPT CAT II Low risk for retinopathy (no evidence of retinopathy (DM)  3088F CPT CAT II Most recent LDL-C less than 100 mg/dL (CAD) (DM)  3099F CPT CAT II Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)  7090F CPT CAT II Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)  7090F CPT CAT II Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)  7090F CPT CAT II Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)  7090F CPT CAT II Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)  7090F CPT CAT II Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)  7090F CPT CAT II Septemation of the providing obstetrical care. Report also date of visit and, in a separate field, the date of the last menstrual period (LMP) (Prenatal).  7090F CPT CAT II Septemation of Lact and the septematic care with the last menstrual period (LMP) (Prenatal).  7090F CPT CAT II Subsequent prenatal care visit (Prenatal) (Excludes: patients who are seen for a condition unrelated to prespancy or prenatal care visit (Prenatal) (Exclud		·	
documented and reviewed; without evidence of retinopathy (DM)			documented and reviewed; with evidence of retinopathy (DM)
2025F   CPT CAT II   7 standard field stereoscopic retinal photos with interpretation by an ophthalmologist or optometrist documented and reviewed; with evidence of retinopathy (DM)   7 standard field stereoscopic retinal photos with interpretation by an ophthalmologist or optometrist documented and reviewed; without evidence of retinopathy (DM)   2026F   CPT CAT II   Evi imaging validated to match diagnosis from 7 standard field stereoscopic retinal photos results documented and reviewed; without evidence of retinopathy (DM)   2033F   CPT CAT II   Low risk for retinopathy (no evidence of retinopathy (DM)   2007   CPT CAT II   Low risk for retinopathy (no evidence of retinopathy (DM)   2007   CPT CAT II   Low risk for retinopathy (no evidence of retinopathy (DM)   2007   CPT CAT II   Most recent LDL-C los-129 mg/dL (CAD) (DM)   2008   CPT CAT II   Most recent LDL-C 100-129 mg/dL (CAD) (DM)   2009   CPT CAT II   Most recent LDL-C 100-129 mg/dL (CAD) (DM)   2009   CPT CAT II   Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)   2009   CPT CAT II   Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)   2009   CPT CAT II   Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)   2009   CPT CAT II   Prenatal flow sheet documented in medical record by first prenatal visit (documentation providing obstetrical care. Report also date of visit and, in a separate field, the date of the last menstrual period (LMP) (Prenatal)   2009	2023F	CPT CAT II	Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist
optometrist documented and reviewed; with evidence of retinopathy (DM)  2026F CPT CAT II 7 standard field stereoscopic retinal photos with interpretation by an ophthalmologist or optometrist documented and reviewed; without evidence of retinopathy (DM)  2026F CPT CAT II Eye imaging validated to match diagnosis from 7 standard field stereoscopic retinal photos results documented and reviewed; with evidence of retinopathy (DM)  2033F CPT CAT II Eye imaging validated to match diagnosis from 7 standard field stereoscopic retinal photos results documented and reviewed; without evidence of retinopathy (DM)  3072F CPT CAT II Low risk for retinopathy (no evidence of retinopathy (DM)  100-CT est Result or Finding (APM-E)  3048F CPT CAT II Most recent LDL-C less than 100 mg/dL (CAD) (DM)  3049F CPT CAT II Most recent LDL-C less than 100 mg/dL (CAD) (DM)  3050F CPT CAT II Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)  Prenatal and Postpartum Visits (PPC)  5000F CPT CAT II Initial prenatal care visit (report at first prenatal encounter with health care professional providing obstetrical care. Report also date of visit and, in a separate field, the date of the last menstrual period (LMP) (Prenatal).  501F CPT CAT II Prenatal flow sheet documented in medical record by first prenatal visit (documentation includes at minimum blood pressure, weight, urine protein, uterine size, fetal heart tones, and estimated date of delivery). Report also: date of visit and, in a separate field, the date of the last menstrual period (LMP) (Note: If reporting 5051P Frenatal flow sheet, it is not necessary to report 0500F Initial prenatal care visit) (Prenatal).  502F CPT CAT II Postpartum care visit (Prenatal) (Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (LMP) (Note: If reporting 5051P Frenatal flow sheet, it is not necessary to report 0500F Initial prenatal care (visit) (Prenatal).  503F CPT CAT II Postpartum care visit (Prenatal) (Excludes: patients who are seen for a condition un			documented and reviewed; without evidence of retinopathy (DM)
2025F CPT CAT II 7 standard field stereoscopic retinal photos with interpretation by an ophthalmologist or optometrist documented and reviewed; without evidence of retinopathy (DM)  2026F CPT CAT II Eye imaging validated to match diagnosis from 7 standard field stereoscopic retinal photos results documented and reviewed; with evidence of retinopathy (DM)  2033F CPT CAT II Eye imaging validated to match diagnosis from 7 standard field stereoscopic retinal photos results documented and reviewed; without evidence of retinopathy (DM)  3072F CPT CAT II Low risk for retinopathy (no evidence of retinopathy (DM)  3072F CPT CAT II Most recent LDL-C loses than 100 mg/dL (CAD) (DM)  3049F CPT CAT II Most recent LDL-C 100-129 mg/dL (CAD) (DM)  3049F CPT CAT II Most recent LDL-C 100-129 mg/dL (CAD) (DM)  3050F CPT CAT II Most recent LDL-C 100-129 mg/dL (CAD) (DM)  3050F CPT CAT II Initial prenatal care visit (report at first prenatal encounter with health care professional providing obstetrical care. Report also date of visit and, in a separate field, the date of the last menstrual period [LMP] (Prenatal)  3050F CPT CAT II Prenatal flow sheet documented in medical record by first prenatal visit (documentation includes at minimum blood pressure, weight, urine protein, uterine size, fetal heart tones, and estimated date of delivery). Report also: date of visit and, in a separate field, the date of the last menstrual period [LMP] (Note: If reporting 0501F Prenatal) flow sheet, it is not necessary to report 0500F initial prenatal care visit (Prenatal)  30503F CPT CAT II Subsequent prenatal care visit (Prenatal) [Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (e.g., an upper respiratory infection; patients seen for consultation only, not for continuing care.)]  30503F CPT CAT II Postpartum care visit (Prenatal)  30503F CPT CAT II Postp	2024F	CPT CAT II	7 standard field stereoscopic retinal photos with interpretation by an ophthalmologist or
optometrist documented and reviewed; without evidence of retinopathy (DM)			optometrist documented and reviewed; with evidence of retinopathy (DM)
2026F CPT CAT II Eye imaging validated to match diagnosis from 7 standard field stereoscopic retinal photos results documented and reviewed; with evidence of retinopathy (DM)  2033F CPT CAT II Eye imaging validated to match diagnosis from 7 standard field stereoscopic retinal photos results documented and reviewed; without evidence of retinopathy (DM)  302F CPT CAT II Low risk for retinopathy (no evidence of retinopathy (DM)  3048F CPT CAT II Low risk for retinopathy (no evidence of retinopathy in the prior year) (DM)  3049F CPT CAT II Most recent LDL-C IO:129 mg/dL (CAD) (DM)  3050F CPT CAT II Most recent LDL-C 200-129 mg/dL (CAD) (DM)  70500F CPT CAT II Most recent LDL-C 200-129 mg/dL (CAD) (DM)  70500F CPT CAT II Initial prenatal care visit (report at first prenatal encounter with health care professional providing obstetrical care. Report also date of visit and, in a separate field, the date of the last menstrual period (LMP) (Protatal).  70501F CPT CAT II Prenatal flow sheet documented in medical record by first prenatal visit (documentation includes at minimum blood pressure, weight, urine protein, uterine size, fetal heart tones, and estimated date of delivery). Report also: date of visit and, in a separate field, the date of the last menstrual period (LMP) (Note: If reporting 0501F Prenatal flow sheet, it is not necessary to report 0500F Initial prenatal care visit) (Prenatal)  70502F CPT CAT II Subsequent prenatal care visit (Prenatal) (Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care visit) (Prenatal)  70503F CPT CAT II Postpartum care visit (Prenatal)  70504F CPT CAT II Postpartum care visit (Prenatal)  70505F CPT CAT II Postpartum care visit (Prenatal)  70506F CPT CAT II Postpartum care visit (Prenatal)  70507F CPT CAT II Postpartum care visit (Prenatal)  70508F CPT CAT II Postpartum care visit (Prenatal)  70509F CPT CAT II Postpartum care visit (Prenatal)  70509F CPT CAT II Postpartum care visit (Prenatal)  70509F CPT CAT II Postpartum care visit (Prenatal)  7	2025F	CPT CAT II	
results documented and reviewed; with evidence of retinopathy (DM)  2033F CPT CAT II Eye imaging validated to match diagnosis from 7 standard field stereoscopic retinal photos results documented and reviewed; without evidence of retinopathy (DM)  3072F CPT CAT II Low risk for retinopathy (no evidence of retinopathy in the prior year) (DM)  DI-CTEST RESULTO F Finding (APM-E)  3048F CPT CAT II Most recent LDI-C less than 100 mg/dL (CAD) (DM)  3049F CPT CAT II Most recent LDI-C 100-129 mg/dL (CAD) (DM)  3050F CPT CAT II Most recent LDI-C greater than or equal to 130 mg/dL (CAD) (DM)  Prenatal and Postpartum Visits (PPC)  500F CPT CAT II Initial prenatal care visit (report at first prenatal encounter with health care professional providing obstetrical care. Report also date of visit and, in a separate field, the date of the last menstrual period [LMP]) (Prenatal).  501F CPT CAT II Prenatal flow sheet documented in medical record by first prenatal visit (documentation includes at minimum blood pressure, weight, urine protein, uterine size, fetal heart tones, and estimated date of delivery). Report also: date of visit and, in a separate field, the date of the last menstrual period (LMP) (Note: If reporting 0501F Prenatal flow sheet; it is not necessary to report 0500F Initial prenatal care visit) (Prenatal).  502F CPT CAT II Subsequent prenatal care visit (Prenatal) [Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (e.g., an upper respiratory infection; patients seen for consultation only, not for continuing care.)]  503F CPT CAT II Postpartum care visit (Prenatal) [Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (e.g., an upper respiratory infection; patients seen for consultation only, not for continuing care.)]  503F CPT CAT II Postpartum care visit (Prenatal) [Excludes: patients who are seen for a condition and patients of the prenatal period prenatal care (e.g., an upper respiratory infection; patients seen for consultation only, not			1 1 2
2033F	2026F	CPT CAT II	
results documented and reviewed; without evidence of retinopathy (DM)  101-C Test Result or Finding (APM-E)  1048F CPT CAT II Most recent LDL-C less than 100 mg/dL (CAD) (DM)  1059F CPT CAT II Most recent LDL-C less than 100 mg/dL (CAD) (DM)  1050F CPT CAT II Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)  1050F CPT CAT II Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)  1050F CPT CAT II I I I I I I I I I I I I I I I I I			, , , , ,
International Company   CPT CAT II   Low risk for retinopathy (no evidence of retinopathy in the prior year) (DM)	2033F	CPT CAT II	
DIL-C Test Result or Finding (APM-E)   Most recent LDL-C less than 100 mg/dL (CAD) (DM)   Most recent LDL-C lost than 100 mg/dL (CAD) (DM)   Most recent LDL-C lost than 100 mg/dL (CAD) (DM)   Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)   Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)   Pronatal and Postpartum Visits (PPC)   Initial prenatal care visit (report at first prenatal encounter with health care professional providing obstetrical care. Report also date of visit and, in a separate field, the date of the last menstrual period [LMP] (Prenatal).   Prenatal flow sheet documented in medical record by first prenatal visit (documentation includes at minimum blood pressure, weight, urine protein, uterine size, fetal heart tones, and estimated date of delivery). Report also: date of visit and, in a separate field, the date of the last menstrual period [LMP] (Note: If reporting 0501F prenatal flow sheet, it is not necessary to report 0500F Initial prenatal care visit (Prenatal).    0502F			
3049F   CPT CAT II   Most recent LDL-C less than 100 mg/dL (CAD) (DM)			
3049F   CPT CAT II   Most recent LDL-C 100-129 mg/dL (CAD) (DM)			
OSOSF   CPT CAT II   Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)			
Prenatal and Postpartum Visits (PPC)			
CPT CAT II			
providing obstetrical care. Report also date of visit and, in a separate field, the date of the last menstrual period [LMP]) (Prenatal).  Prenatal flow sheet documented in medical record by first prenatal visit (documentation includes at minimum blood pressure, weight, urine protein, uterine size, fetal heart tones, and estimated date of delivery). Report also: date of visit and, in a separate field, the date of the last menstrual period [LMP] (Note: If reporting 0501F Prenatal flow sheet, it is not necessary to report 0500F Initial prenatal care visit) (Prenatal).  O502F CPT CAT II Subsequent prenatal care visit (Prenatal) [Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (e.g., an upper respiratory infection; patients seen for consultation only, not for continuing care.)]  O503F CPT CAT II Postpartum care visit (Prenatal)  Encunter for gynecological examination (general) (routine) with abnormal findings  Encunter for gynecological examination (general) (routine) without abnormal findings  Encunter for cervical smear to confirm findings of recent normal smear following initial abnormal smear  230.430 ICD-10 CM Encounter for receival smear to confirm findings of recent normal smear following initial abnormal smear  230.430 ICD-10 CM Encounter for rocare and examination of lactating mother  E39.1 ICD-10 CM Encounter for routine postpartum follow-up  Well-Child and Adolescent Visits (W30, WCC, and WCV)  Well-Child and Adolescent Visits (W30, WCC, and WCV)  268.51 ICD-10 CM BMI pediatric, 85th percentile to less than 85th percentile for age  268.52 ICD-10 CM BMI pediatric, set shan 5th percentile for age  268.53 ICD-10 CM Encounter for child welfare exam  E71.82 ICD-10 CM Encounter for child welfare exam  272.84 ICD-10 CM Encounter for examination for participation in sport  Encounter for examination for participation without abnormal findings  200.01 ICD-10 CM Encounter for general adult medical examination with abnormal findings  Encounter for routine child health examinati		-	
Last menstrual period [LMP]) (Prenatal).	0500F	CPT CAT II	
Prenatal flow sheet documented in medical record by first prenatal visit (documentation includes at minimum blood pressure, weight, urine protein, uterine size, fetal heart tones, and estimated date of delivery). Report also: date of visit and, in a separate field, the date of the last menstrual period [LMP] (Note: If reporting 0501F Prenatal flow sheet, it is not necessary to report 0500F Initial prenatal care visit) (Prenatal).    OFO CAT II   Subsequent prenatal care visit (Prenatal)   Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (e.g., an upper respiratory infection; patients seen for consultation only, not for continuing care.)]    OFO CAT II   Postpartum care visit (Prenatal)   Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (e.g., an upper respiratory infection; patients seen for consultation only, not for continuing care.)]    OFO CAT II   Postpartum care visit (Prenatal)   Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (e.g., an upper respiratory infection; patients seen for consultation only, not for continuing care.)]    OFO CAT II   Postpartum care visit (Prenatal)   Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care visit) (Prenatal)   Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care visit) (Prenatal)   Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care visit) (Prenatal)   Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care visit) (Prenatal)   Excludes: patients who are seen for a condition unrelated to preparatory infection; patients who are seen for a condition unrelated to preparatory infection; patients who are seen for a condition unrelated to preparatory infection; patients who are seen for a condition unrelated to preparatory infection; patients who are seen for a condition unrelated to preparatory infection; patients who			
includes at minimum blood pressure, weight, urine protein, uterine size, fetal heart tones, and estimated date of delivery). Report also: date of visit and, in a separate field, the date of the last menstrual period [LMP] (Note: If reporting 0501F Prenatal flow sheet, it is not necessary to report 0500F Initial prenatal care visit) (Prenatal).  O502F CPT CAT II Subsequent prenatal care visit (Prenatal) [Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (e.g., an upper respiratory infection; patients seen for consultation only, not for continuing care.)]  O503F CPT CAT II Postpartum care visit (Prenatal)  Z01.411 ICD-10 CM Encounter for gynecological examination (general) (routine) with abnormal findings  Z01.419 ICD-10 CM Encounter for gynecological examination (general) (routine) without abnormal findings  Z01.42 ICD-10 CM Encounter for gynecological examination (general) (routine) without abnormal findings  Z01.430 ICD-10 CM Encounter for insertion of intrauterine contraceptive device  Z39.1 ICD-10 CM Encounter for insertion of intrauterine contraceptive device  Z39.2 ICD-10 CM Encounter for routine postpartum follow-up  Well-Child and Adolescent Visits (W30, WCC, and WCV)  Z68.51 ICD-10 CM BMI pediatric, less than 5th percentile for age  Z68.52 ICD-10 CM BMI pediatric, 5th percentile to less than 85th percentile for age  Z68.53 ICD-10 CM BMI pediatric, 5th percentile to less than 95th percentile for age  Z68.54 ICD-10 CM Encounter for examination for participation in sport  Z02.5 ICD-10 CM Encounter for child welfare exam  Z03.64 ICD-10 CM Encounter for general adult medical examination without abnormal findings  Z00.00 ICD-10 CM Encounter for general adult medical examination with abnormal findings  Z00.110 ICD-10 CM Health examination for newborn under 8 days old  Z00.111 ICD-10 CM Health examination for newborn under 8 days old			
and estimated date of delivery). Report also: date of visit and, in a separate field, the date of the last menstrual period [LMP] (Note: If reporting 0501F Prenatal flow sheet, it is not necessary to report 0500F Initial prenatal care visit) (Prenatal).  O502F CPT CAT II Subsequent prenatal care visit (Prenatal) [Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (e.g., an upper respiratory infection; patients seen for consultation only, not for continuing care.)]  O503F CPT CAT II Postpartum care visit (Prenatal)  Z01.411 ICD-10 CM Encounter for gynecological examination (general) (routine) with abnormal findings  Z01.419 ICD-10 CM Encounter for gynecological examination (general) (routine) without abnormal findings  Z01.42 ICD-10 CM Encounter for cervical smear to confirm findings of recent normal smear following initial abnormal smear  Z30.430 ICD-10 CM Encounter for insertion of intrauterine contraceptive device  Z39.1 ICD-10 CM Encounter for care and examination of lactating mother  Z39.2 ICD-10 CM Encounter for routine postpartum follow-up  Well-Child and Adolescent Visits (W30, WCC, and WCV)  Z68.51 ICD-10 CM BMI pediatric, less than 5th percentile for age  Z68.52 ICD-10 CM BMI pediatric, Sth percentile to less than 85th percentile for age  Z68.53 ICD-10 CM BMI pediatric, Sth percentile to less than 95th percentile for age  Z68.54 ICD-10 CM Encounter for examination of participation in sport  Z02.84 ICD-10 CM Encounter for examination for participation in sport  Z02.84 ICD-10 CM Encounter for child welfare exam  Z71.82 ICD-10 CM Encounter for general adult medical examination without abnormal findings  Z00.00 ICD-10 CM Encounter for general adult medical examination with abnormal findings  Z00.110 ICD-10 CM Health examination for newborn under 8 days old  Z00.111 ICD-10 CM Health examination for newborn under 8 days old	0501F	CPT CAT II	
the last menstrual period [LMP] (Note: If reporting 0501F Prenatal flow sheet, it is not necessary to report 0500F Initial prenatal care visit) (Prenatal).  O502F CPT CAT II Subsequent prenatal care visit (Prenatal) [Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (e.g., an upper respiratory infection; patients seen for consultation only, not for continuing care.)]  O503F CPT CAT II Postpartum care visit (Prenatal)  Z01.411 ICD-10 CM Encounter for gynecological examination (general) (routine) with abnormal findings  Z01.419 ICD-10 CM Encounter for gynecological examination (general) (routine) without abnormal findings  Z01.42 ICD-10 CM Encounter for cervical smear to confirm findings of recent normal smear following initial abnormal smear  Z30.430 ICD-10 CM Encounter for insertion of intrauterine contraceptive device  Z39.1 ICD-10 CM Encounter for care and examination of lactating mother  Z39.2 ICD-10 CM Encounter for care and examination of lactating mother  Z39.3 ICD-10 CM Encounter for routine postpartum follow-up  Well-Child and Adolescent Visits (W30, WCC, and WCV)  Z68.51 ICD-10 CM BMI pediatric, less than 5 <sup>th</sup> percentile for age  Z68.52 ICD-10 CM BMI pediatric, S5th percentile to less than 85 <sup>th</sup> percentile for age  Z68.53 ICD-10 CM BMI pediatric, s8th percentile to less than 85 <sup>th</sup> percentile for age  Z68.54 ICD-10 CM BMI pediatric, g8the percentile to less than 95th percentile for age  Z68.54 ICD-10 CM Encounter for examination for participation in sport  Z02.5 ICD-10 CM Encounter for examination for participation in sport  Z02.84 ICD-10 CM Encounter for examination without abnormal findings  Z00.00 ICD-10 CM Encounter for child welfare exam  Z71.82 ICD-10 CM Encounter for general adult medical examination with abnormal findings  Z00.11 ICD-10 CM Health examination for newborn and 8 days old  Z00.11 ICD-10 CM Encounter for routine child health examination with abnormal findings			
necessary to report 0500F Initial prenatal care visit) (Prenatal).  O502F CPT CAT II Subsequent prenatal care visit (Prenatal) [Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (e.g., an upper respiratory infection; patients seen for consultation only, not for continuing care.)]  O503F CPT CAT II Postpartum care visit (Prenatal)  Z01.411 ICD-10 CM Encounter for gynecological examination (general) (routine) with abnormal findings  Z01.419 ICD-10 CM Encounter for gynecological examination (general) (routine) without abnormal findings  Z01.42 ICD-10 CM Encounter for cervical smear to confirm findings of recent normal smear following initial abnormal smear  Z30.430 ICD-10 CM Encounter for insertion of intrauterine contraceptive device  Z39.1 ICD-10 CM Encounter for care and examination of lactating mother  Z39.2 ICD-10 CM Encounter for routine postpartum follow-up  Well-Child and Adolescent Visits (W30, WCC, and WCV)  Z68.51 ICD-10 CM BMI pediatric, less than 5th percentile for age  Z68.52 ICD-10 CM BMI pediatric, sth percentile to less than 85th percentile for age  Z68.53 ICD-10 CM BMI pediatric, greater than or equal to 95th percentile for age  Z68.54 ICD-10 CM Encounter for examination for participation in sport  Z02.54 ICD-10 CM Encounter for child welfare exam  Z71.82 ICD-10 CM Encounter for general adult medical examination with abnormal findings  Z00.00 ICD-10 CM Encounter for general adult medical examination with abnormal findings  Z00.11 ICD-10 CM Health examination for newborn under 8 days old  Z00.111 ICD-10 CM Encounter for routine child health examination with abnormal findings			
CPT CAT II   Subsequent prenatal care visit (Prenatal) [Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (e.g., an upper respiratory infection; patients seen for consultation only, not for continuing care.)]			
unrelated to pregnancy or prenatal care (e.g., an upper respiratory infection; patients seen for consultation only, not for continuing care.)]  D503F CPT CAT II Postpartum care visit (Prenatal)  Z01.411 ICD-10 CM Encounter for gynecological examination (general) (routine) with abnormal findings  Z01.419 ICD-10 CM Encounter for cervical smear to confirm findings of recent normal smear following initial abnormal smear  Z101.42 ICD-10 CM Encounter for insertion of intrauterine contraceptive device  Z30.430 ICD-10 CM Encounter for routine postpartum follow-up  Encounter for routine postpartum follow-up  Well-Child and Adolescent Visits (W30, WCc, and WCV)  Z68.51 ICD-10 CM BMI pediatric, less than 5th percentile for age  Z68.52 ICD-10 CM BMI pediatric, 5th percentile to less than 85th percentile for age  Z68.53 ICD-10 CM BMI pediatric, greater than or equal to 95th percentile for age  Z68.54 ICD-10 CM Encounter for examination for participation in sport  Z02.84 ICD-10 CM Encounter for child welfare exam  Z71.82 ICD-10 CM Encounter for child welfare exam  Z71.82 ICD-10 CM Encounter for general adult medical examination without abnormal findings  Z00.01 ICD-10 CM Encounter for general adult medical examination with abnormal findings  Z00.110 ICD-10 CM Health examination for newborn under 8 days old  Z00.121 ICD-10 CM Encounter for routine child health examination with abnormal findings	05025	CDT CAT II	
for consultation only, not for continuing care.)]    Sostation	0502F	CPI CAI II	
O503F   CPT CAT II   Postpartum care visit (Prenatal)			
Z01.411   ICD-10 CM   Encounter for gynecological examination (general) (routine) with abnormal findings   Z01.419   ICD-10 CM   Encounter for gynecological examination (general) (routine) without abnormal findings   Z01.42   ICD-10 CM   Encounter for cervical smear to confirm findings of recent normal smear following initial abnormal smear   Z30.430   ICD-10 CM   Encounter for insertion of intrauterine contraceptive device   Z39.1   ICD-10 CM   Encounter for routine postpartum follow-up   Encounter for routine postpartum follow-up   Z68.51   ICD-10 CM   Encounter for routine postpartum follow-up   Z68.51   ICD-10 CM   BMI pediatric, less than 5th percentile for age   Z68.52   ICD-10 CM   BMI pediatric, 85th percentile to less than 85th percentile for age   Z68.53   ICD-10 CM   BMI pediatric, 85th percentile to less than 95th percentile for age   Z68.54   ICD-10 CM   BMI pediatric, greater than or equal to 95th percentile for age   Z68.54   ICD-10 CM   Encounter for examination for participation in sport   Z02.84   ICD-10 CM   Encounter for child welfare exam   Z71.82   ICD-10 CM   Encounter for general adult medical examination without abnormal findings   Z00.00   ICD-10 CM   Encounter for general adult medical examination with abnormal findings   Z00.110   ICD-10 CM   Health examination for newborn under 8 days old   Z00.121   ICD-10 CM   Encounter for routine child health examination with abnormal findings   Z00.121   ICD-10 CM   Encounter for routine child health examination with abnormal findings   Z00.121   ICD-10 CM   Encounter for routine child health examination with abnormal findings   Z00.121   ICD-10 CM   Encounter for routine child health examination with abnormal findings   Z00.121   ICD-10 CM   Encounter for routine child health examination with abnormal findings   Z00.121   ICD-10 CM   Encounter for routine child health examination with abnormal findings   Z00.121   ICD-10 CM   Encounter for routine child health examination with abnormal findings   Z00.121   ICD-10 CM   Encounter for routine c	0503E	CDT CAT II	
Z01.419ICD-10 CMEncounter for gynecological examination (general) (routine) without abnormal findingsZ01.42ICD-10 CMEncounter for cervical smear to confirm findings of recent normal smear following initial abnormal smearZ30.430ICD-10 CMEncounter for insertion of intrauterine contraceptive deviceZ39.1ICD-10 CMEncounter for care and examination of lactating motherZ39.2ICD-10 CMEncounter for routine postpartum follow-upWell-Child and Adolescent Visits (W30, WCC, and WCV)Z68.51ICD-10 CMBMI pediatric, less than 5th percentile for ageZ68.52ICD-10 CMBMI pediatric, 5th percentile to less than 85th percentile for ageZ68.53ICD-10 CMBMI pediatric, 85th percentile to less than 95th percentile for ageZ68.54ICD-10 CMBMI pediatric, greater than or equal to 95th percentile for ageZ02.5ICD-10 CMEncounter for examination for participation in sportZ02.84ICD-10 CMEncounter for child welfare examZ71.82ICD-10 CMExercise counselingZ00.00ICD-10 CMEncounter for general adult medical examination without abnormal findingsZ00.11ICD-10 CMHealth examination for newborn under 8 days oldZ00.111ICD-10 CMHealth examination for newborn 8 to 28 days oldZ00.121ICD-10 CMEncounter for routine child health examination with abnormal findings			
Z01.42 ICD-10 CM Encounter for cervical smear to confirm findings of recent normal smear following initial abnormal smear  Z30.430 ICD-10 CM Encounter for insertion of intrauterine contraceptive device  Z39.1 ICD-10 CM Encounter for care and examination of lactating mother  Z39.2 ICD-10 CM Encounter for routine postpartum follow-up  Well-Child and Adolescent Visits (W30, WCC, and WCV)  Z68.51 ICD-10 CM BMI pediatric, less than 5th percentile for age  Z68.52 ICD-10 CM BMI pediatric, 5th percentile to less than 85th percentile for age  Z68.53 ICD-10 CM BMI pediatric, 85th percentile to less than 95th percentile for age  Z68.54 ICD-10 CM BMI pediatric, greater than or equal to 95th percentile for age  Z02.5 ICD-10 CM Encounter for examination for participation in sport  Z02.84 ICD-10 CM Encounter for child welfare exam  Z71.82 ICD-10 CM Exercise counseling  Z00.00 ICD-10 CM Encounter for general adult medical examination without abnormal findings  Z00.11 ICD-10 CM Health examination for newborn under 8 days old  Z00.111 ICD-10 CM Encounter for routine child health examination with abnormal findings			
Abnormal smear  Z30.430 ICD-10 CM Encounter for insertion of intrauterine contraceptive device  Z39.1 ICD-10 CM Encounter for care and examination of lactating mother  Z39.2 ICD-10 CM Encounter for routine postpartum follow-up  Well-Child and Adolescent Visits (W30, WCC, and WCV)  Z68.51 ICD-10 CM BMI pediatric, less than 5th percentile for age  Z68.52 ICD-10 CM BMI pediatric, 5th percentile to less than 85th percentile for age  Z68.53 ICD-10 CM BMI pediatric, 85th percentile to less than 95th percentile for age  Z68.54 ICD-10 CM BMI pediatric, greater than or equal to 95th percentile for age  Z02.5 ICD-10 CM Encounter for examination for participation in sport  Z02.84 ICD-10 CM Encounter for child welfare exam  Z71.82 ICD-10 CM Exercise counseling  Z00.00 ICD-10 CM Encounter for general adult medical examination without abnormal findings  Z00.01 ICD-10 CM Health examination for newborn under 8 days old  Z00.111 ICD-10 CM Health examination for newborn 8 to 28 days old  Z00.121 ICD-10 CM Encounter for routine child health examination with abnormal findings			
Z30.430ICD-10 CMEncounter for insertion of intrauterine contraceptive deviceZ39.1ICD-10 CMEncounter for care and examination of lactating motherZ39.2ICD-10 CMEncounter for routine postpartum follow-upWell-Child and Adolescent Visits (W30, WCC, and WCV)Z68.51ICD-10 CMBMI pediatric, less than 5th percentile for ageZ68.52ICD-10 CMBMI pediatric, 5th percentile to less than 85th percentile for ageZ68.53ICD-10 CMBMI pediatric, 85th percentile to less than 95th percentile for ageZ68.54ICD-10 CMBMI pediatric, greater than or equal to 95th percentile for ageZ02.5ICD-10 CMEncounter for examination for participation in sportZ02.84ICD-10 CMEncounter for child welfare examZ71.82ICD-10 CMExercise counselingZ00.00ICD-10 CMEncounter for general adult medical examination without abnormal findingsZ00.01ICD-10 CMEncounter for general adult medical examination with abnormal findingsZ00.110ICD-10 CMHealth examination for newborn under 8 days oldZ00.111ICD-10 CMHealth examination for newborn 8 to 28 days oldZ00.121ICD-10 CMEncounter for routine child health examination with abnormal findings	201.42	TCD TO CIT	
ICD-10 CM   Encounter for care and examination of lactating mother	730 430	ICD-10 CM	
Z39.2   ICD-10 CM   Encounter for routine postpartum follow-up			·
Well-Child and Adolescent Visits (W30, WCC, and WCV)Z68.51ICD-10 CMBMI pediatric, less than 5th percentile for ageZ68.52ICD-10 CMBMI pediatric, 5th percentile to less than 85th percentile for ageZ68.53ICD-10 CMBMI pediatric, 85th percentile to less than 95th percentile for ageZ68.54ICD-10 CMBMI pediatric, greater than or equal to 95th percentile for ageZ02.5ICD-10 CMEncounter for examination for participation in sportZ02.84ICD-10 CMEncounter for child welfare examZ71.82ICD-10 CMExercise counselingZ00.00ICD-10 CMEncounter for general adult medical examination without abnormal findingsZ00.01ICD-10 CMEncounter for general adult medical examination with abnormal findingsZ00.110ICD-10 CMHealth examination for newborn under 8 days oldZ00.111ICD-10 CMHealth examination for newborn 8 to 28 days oldZ00.121ICD-10 CMEncounter for routine child health examination with abnormal findings			=
Z68.51ICD-10 CMBMI pediatric, less than 5th percentile for ageZ68.52ICD-10 CMBMI pediatric, 5th percentile to less than 85th percentile for ageZ68.53ICD-10 CMBMI pediatric, 85th percentile to less than 95th percentile for ageZ68.54ICD-10 CMBMI pediatric, greater than or equal to 95th percentile for ageZ02.5ICD-10 CMEncounter for examination for participation in sportZ02.84ICD-10 CMEncounter for child welfare examZ71.82ICD-10 CMExercise counselingZ00.00ICD-10 CMEncounter for general adult medical examination without abnormal findingsZ00.01ICD-10 CMEncounter for general adult medical examination with abnormal findingsZ00.110ICD-10 CMHealth examination for newborn under 8 days oldZ00.111ICD-10 CMHealth examination for newborn 8 to 28 days oldZ00.121ICD-10 CMEncounter for routine child health examination with abnormal findings			
Z68.52ICD-10 CMBMI pediatric, 5th percentile to less than 85th percentile for ageZ68.53ICD-10 CMBMI pediatric, 85th percentile to less than 95th percentile for ageZ68.54ICD-10 CMBMI pediatric, greater than or equal to 95th percentile for ageZ02.5ICD-10 CMEncounter for examination for participation in sportZ02.84ICD-10 CMEncounter for child welfare examZ71.82ICD-10 CMExercise counselingZ00.00ICD-10 CMEncounter for general adult medical examination without abnormal findingsZ00.01ICD-10 CMEncounter for general adult medical examination with abnormal findingsZ00.110ICD-10 CMHealth examination for newborn under 8 days oldZ00.111ICD-10 CMHealth examination for newborn 8 to 28 days oldZ00.121ICD-10 CMEncounter for routine child health examination with abnormal findings			
Z68.53ICD-10 CMBMI pediatric, 85th percentile to less than 95th percentile for ageZ68.54ICD-10 CMBMI pediatric, greater than or equal to 95th percentile for ageZ02.5ICD-10 CMEncounter for examination for participation in sportZ02.84ICD-10 CMEncounter for child welfare examZ71.82ICD-10 CMExercise counselingZ00.00ICD-10 CMEncounter for general adult medical examination without abnormal findingsZ00.01ICD-10 CMEncounter for general adult medical examination with abnormal findingsZ00.110ICD-10 CMHealth examination for newborn under 8 days oldZ00.111ICD-10 CMHealth examination for newborn 8 to 28 days oldZ00.121ICD-10 CMEncounter for routine child health examination with abnormal findings			
Z68.54ICD-10 CMBMI pediatric, greater than or equal to 95th percentile for ageZ02.5ICD-10 CMEncounter for examination for participation in sportZ02.84ICD-10 CMEncounter for child welfare examZ71.82ICD-10 CMExercise counselingZ00.00ICD-10 CMEncounter for general adult medical examination without abnormal findingsZ00.01ICD-10 CMEncounter for general adult medical examination with abnormal findingsZ00.110ICD-10 CMHealth examination for newborn under 8 days oldZ00.111ICD-10 CMHealth examination for newborn 8 to 28 days oldZ00.121ICD-10 CMEncounter for routine child health examination with abnormal findings			
Z02.5ICD-10 CMEncounter for examination for participation in sportZ02.84ICD-10 CMEncounter for child welfare examZ71.82ICD-10 CMExercise counselingZ00.00ICD-10 CMEncounter for general adult medical examination without abnormal findingsZ00.01ICD-10 CMEncounter for general adult medical examination with abnormal findingsZ00.110ICD-10 CMHealth examination for newborn under 8 days oldZ00.111ICD-10 CMHealth examination for newborn 8 to 28 days oldZ00.121ICD-10 CMEncounter for routine child health examination with abnormal findings			
Z02.84ICD-10 CMEncounter for child welfare examZ71.82ICD-10 CMExercise counselingZ00.00ICD-10 CMEncounter for general adult medical examination without abnormal findingsZ00.01ICD-10 CMEncounter for general adult medical examination with abnormal findingsZ00.110ICD-10 CMHealth examination for newborn under 8 days oldZ00.111ICD-10 CMHealth examination for newborn 8 to 28 days oldZ00.121ICD-10 CMEncounter for routine child health examination with abnormal findings			· · · · · · · · · · · · · · · · · · ·
Z71.82ICD-10 CMExercise counselingZ00.00ICD-10 CMEncounter for general adult medical examination without abnormal findingsZ00.01ICD-10 CMEncounter for general adult medical examination with abnormal findingsZ00.110ICD-10 CMHealth examination for newborn under 8 days oldZ00.111ICD-10 CMHealth examination for newborn 8 to 28 days oldZ00.121ICD-10 CMEncounter for routine child health examination with abnormal findings			
Z00.00ICD-10 CMEncounter for general adult medical examination without abnormal findingsZ00.01ICD-10 CMEncounter for general adult medical examination with abnormal findingsZ00.110ICD-10 CMHealth examination for newborn under 8 days oldZ00.111ICD-10 CMHealth examination for newborn 8 to 28 days oldZ00.121ICD-10 CMEncounter for routine child health examination with abnormal findings			
Z00.01ICD-10 CMEncounter for general adult medical examination with abnormal findingsZ00.110ICD-10 CMHealth examination for newborn under 8 days oldZ00.111ICD-10 CMHealth examination for newborn 8 to 28 days oldZ00.121ICD-10 CMEncounter for routine child health examination with abnormal findings			
Z00.110ICD-10 CMHealth examination for newborn under 8 days oldZ00.111ICD-10 CMHealth examination for newborn 8 to 28 days oldZ00.121ICD-10 CMEncounter for routine child health examination with abnormal findings			
Z00.111ICD-10 CMHealth examination for newborn 8 to 28 days oldZ00.121ICD-10 CMEncounter for routine child health examination with abnormal findings			
Z00.121 ICD-10 CM Encounter for routine child health examination with abnormal findings			·
			·
	Z00.129	ICD-10 CM	Encounter for routine child health examination without abnormal findings



Well-Child and Adolescent Visits (W30, WCC, and WCV) continued				
Z00.2	ICD-10 CM	Encounter for examination for period of rapid growth in childhood		
Z00.3	ICD-10 CM	Encounter for examination for adolescent development state		
Z01.411	ICD-10 CM	Encounter for gynecological examination (general) (routine) with abnormal findings		
Z01.419	ICD-10 CM	Encounter for gynecological examination (general) (routine) without abnormal findings		
Z01.419	ICD-10 CM	Encounter for gynecological examination (general) (routine) without abnormal findings		
Z76.1	ICD-10 CM	Encounter for health supervision and care of foundling		
Z76.2	ICD-10 CM	Encounter for health supervision and care of other healthy infant and child		

## **CPT and HCPCS codes accepted by HEDIS and QRS** This list is not all inclusive.

Cancer, Diabetic, and Other	Preventive	Care (APM-E, BCS-E, CCS-E, CHL, COL-E, EED, GSD, KED, PPC)
Mammography	CPT	77061-77063, 77065-77067
Chlamydia Tests	CPT	87110, 87270, 87320, 87490-87492, 87810
Cholesterol Lab Test	CPT	82465, 83718, 83722, 84478
Cervical Cytology Lab Test	HCPCS	G00123, G0124, G0141, G0143-G0145, G0147, G0148, P3000, P3001, Q0091
Cervical Cytology Lab Test	CPT	88141-88143, 88147, 88148, 88150, 88152, 88153, 88164-88167, 88174, 88175
High Risk HPV Lab Test	CPT	87624, 87625
High Risk HPV Lab Test	HCPCS	G0476
Hysterectomy with no residual cervix	СРТ	57530, 57531, 57540, 57545, 57550, 57555, 57556, 58150, 58152, 58200, 58210, 58240, 58260, 58262, 8263, 58267, 58270, 58275, 58280,58285, 58290-58294, 58548, 58550, 58552-58554, 58570-58573, 58575, 58951, 58953, 58954, 58956, 59135
Colonoscopy	CPT	44388-44392, 44394, 44401-44408, 45378-45382, 45384-45386, 45388-45393, 45398
Colonoscopy	HCPCS	G0105, G0121
CT Colonography	CPT	74261-74263
sDNA FIT Lab Test	CPT	81528
FOBT	CPT	82270, 82274
FOBT	HCPCS	G0328
Flexible Sigmoidoscopy	CPT	45330-45335, 45337, 45338, 45340-45342, 45346, 45347, 45349, 45350
Flexible Sigmoidoscopy	HCPCS	G0104
Automated Eye Exam	CPT	92229
Retinal Eye Exam	CPT	92002, 92004, 92012, 92014, 92018, 92019, 92134, 92201, 92202, 92230, 92235, 92250, 99203-99205, 99213-99215, 99242-99245
Retinal Eye Exam	HCPCS	S0620, S0621, S3000
Retinal Imaging	CPT	92227, 92228
Unilateral Eye Enucleation	CPT	65091, 65093, 65101, 65103, 65105, 65110, 65112, 65114
HbA1c Lab Test	CPT	83036, 83037
LDL-C Lab Test	CPT	80061, 83700, 83701, 83704, 83721
Estimated Glomerular Filtration Rate Lab Test	CPT	80047, 80048, 80053, 82565, 80050, 80069
Quantitative Urine Albumin Lab Test	CPT	82043
Urine Creatinine Lab Test	CPT	82570



Prenatal and Postpartum C	are (PPC)	
Prenatal Bundled Services	CPT	59400, 59425, 59426, 59510, 59610, 59618
Prenatal Bundled Services	HCPCS	H1005
Prenatal Visits	CPT	98966-98968, 98970-98972, 98980, 98981, 99202-99205, 99211-
		99215, 99242-99245, 99421-99423, 99441-99443, 99457-99458, 99483
Prenatal Visits	HCPCS	G0071, G0463, G2010, G2012, G2250-G2252, T1015
Stand Alone Prenatal Visits	CPT	99500
Stand Alone Prenatal Visits	HCPCS	H1000-H1004
Postpartum Care	CPT	57170, 58300, 59430, 99501
Postpartum Care	HCPCS	G0101
Postpartum Bundled Services	CPT	59400, 59410, 59510, 59515, 59610, 59614, 59618, 59622
Adolescent Well Care (W30	, wcc, wcv	
Nutrition Counseling	CPT	97802-97804
Nutrition Counseling	HCPCS	G0270, G0271, G0447, S9449, S9452, S9470
Physical Activity Counseling	HCPCS	G0447, S9451
Well-Care	CPT	99381-99385, 99391-99395, 99461
Well-Care	HCPCS	G0438, G0439, S0302, S0610, S0612, S0613
Immunizations - Adolescer	nt, Adult, Chi	ildhood, and Prenatal (AIS-E, CIS-E, IMA-E, PRS-E)
Adult Influenza Vaccine	CPT	90630, 90653, 90654, 90656, 90658, 90661, 90662, 90673, 90674,
		90682, 90686, 90688, 90689, 90694, 90756
Adult Pneumococcal Vaccine	CPT	90670, 90671, 90677, 90732
Adult Pneumococcal Vaccine	HCPCS	G0009
DTaP Vaccine	CPT	90697, 90698, 90700, 90723
Hep A Vaccine	CPT	90633
Hep B Vaccine	CPT	90697, 90723, 90740, 90744, 90747,90748
Hep B Vaccine	HCPCS	G0010
HiB Vaccine	CPT	90644, 90647, 90648, 90697, 90698, 90748
HPV Vaccine	CPT	90649-90651
Influenza Vaccine	CPT	90655, 90657, 90661, 90673, 90674, 90685-90689, 90756, 90660,
		90672
IPV Vaccine	CPT	90697, 90698, 90713, 90723
Meningococcal Vaccine	CPT	90619, 90623, 90733, 90734
MMR Vaccine	CPT	90707, 90710
PCV Vaccine	CPT	90670, 90671, 90677
PCV Vaccine	HCPCS	G0009
Rotavirus Vaccine (2 Dose Schedule)	СРТ	90681
Rotavirus Vaccine (3 Dose Schedule)	СРТ	90680
Td Vaccine	CPT	90714
Tdap Vaccine	CPT	90715
VZV Vaccine	CPT	90710, 90716



Hospice, Palliative Care			
Hospice Encounter	HCPCS	G9473-G9479, Q5003-Q5008, Q5010, S9126, T2042-T2046	
Hospice Intervention	CPT	99377, 99378	
Hospice Intervention	HCPCS	G0182	
Palliative Care Encounter	HCPCS	G9054	
Frailty Encounter	СРТ	99504, 99509	
Frailty Encounter	HCPCS	G0162, G0299, G0300, G0493, G0494, S0271, S0311, S9123, S9124,	
		T1000-T1005, T1019-T1022, T1030, T1031	

### **Additional information**

For more information about how our care management programs can help support your patients with Cigna Healthcare coverage, please visit the Cigna for Health Care Professionals website (CignaforHCP.com), or call Cigna Healthcare Provider Service at 800.88Cigna (882.4462).

