

## **Ohio Opioids**

Fax completed form to: (855) 840-1678
If this is an URGENT request, please call (800) 882-4462 (800.88.CIGNA)

PHYSICIAN INFORMATION			PATIENT INFORMATION					
* Physician Name:			*Due to privacy regulations we will not be able to respond via fax					
Specialty: * DEA, NPI or TIN:		with the outcome of our review unless all asterisked (*) items on this form are completed.*						
Office Contact Person:			* Patient Name:					
Office Phone:			* Cigna ID: * Date of Birth:					
Office Fax:			* Patient Street Address:					
Office Street Address:		City:	State:					
City:	State:	Zip:	Patient Phone:					
Urgency:  ☐ Standard ☐ Urgent (In checking this box, I attest to the fact that applying the standard review time frame may seriously jeopardize the customer's life, health, or ability to regain maximum function)								
Medication requested:  Abstral Actiq Arymo ER ConZip Fentora Exalgo (brand name) Kadian (brand name) Lazanda levorphanol, used on as needed basis for pain (IR)			☐ levorphanol, used as long-term, around-the-clock treatment for pain (ER) ☐ MS Contin (brand name) ☐ Nucynta ER ☐ Opana ER (brand name) ☐ Oxycontin ☐ Roxicodone (brand name) ☐ Subsys ☐ Zohyrdo ER ☐ any other opioid:					
Strength: ICD10: Dosing instructions: Quantity per month requested: Expected duration:								
Is the requested medication for a chronic or long-term condition for which the prescription medication may be necessary for the life of the patient?								
Clinical Information:								
Is the prescriber aware of the risk of increased opioid toxicity with the concurrent use of a benzodiazepine? Yes No Can the prescribing physician attest that the continued use of this combination therapy is clinically necessary for this patient? Yes No Which of the following applies to your patient? No patient is in a hospice care program patient has a diagnosis of a terminal condition * patient has cancer								
patient has a condition a none of the above **  *(if terminal condit  **(if none of the above th				☐ Yes ☐ No ☐ Yes ☐ No				
If chronic pain without cancer: Have non-opioid therapies been optimized and are being used in conjunction with opioid therapy according to the prescribing physician? Non-opioid therapies include: non-opioid medications (for example: nonsteroidal anti-inflammatory drugs [NSAIDs], tricyclic antidepressants, serotonin and norepinephrine reuptake inhibitors [SNRIs], anticonvulsants), exercise therapy, weight loss, cognitive behavioral therapy.								
Is your patient also taking a benzodiazepine while using an opioid? (benzodiazepines include: alprazolam, Ativan, chlordiazepoxide, clobazam, clonazepam, clorazepate, diazepam, estazolam, flurazepam, Halcion, Klonopin, Librax, Iorazepam, midazolam, Onfi, oxazepam, Restoril, Sympazan, temazepam, Tranxene, triazolam, Valium, Xanax)								

Does your patient's opioid dose exceed 80 MME (morphine milligram equivalent)?   (if >80MME) Can the prescribing physician attest that this dose is the lowest effective or appropriate dose for this patient?  Yes						
Has the prescribing physician re-established informed consent with the patient AND provided written information on the potential adverse effects of long-term opioid therapy?						
Has the prescribing physician checked the patient's history of controlled substance prescriptions using the Ohio Automated Rx Reporting System (OARRS) state prescription drug monitoring program?  Has the prescribing physician evaluated the use of a patient pain treatment agreement?  Has the prescribing physician considered an evaluation of the patient by one or more other providers who specialize in the treatment of the area, system, or organ of the body perceived as the source of the pain?						
Which of the following alternatives has your patient tried?  fentanyl lozenges (generic Actiq) hydromorphone (generic Dilaudid) hydrocodone/acetaminophen (generic Lorcet, Norco, Vicodin, Xodol) Hysingla ER Morphabond ER morphine (generic MSIR) oxycodone (generic OxyIR, Roxicodone)	<ul> <li>□ oxycodone/acetaminophen (generic Percocet)</li> <li>□ oxymorphone (generic Opana)</li> <li>□ Subsys</li> <li>□ tramadol 50 mg tablets (generic Ultram)</li> <li>□ tramadol 100 mg, 200 mg or 300 mg extended release (ER) tablets (generic Ryzolt)</li> <li>□ tramadol 100 mg, 200 mg or 300 mg extended release (ER) capsules (generic ConZip)</li> <li>□ Xtampza ER</li> </ul>					
For each alternative above that the patient has tried, please provide the following details: drug name, date(s) taken and for how long, and what the documented results were of taking each drug, including any documented intolerances or adverse reactions your patient experienced.						
If requesting Actiq: Is this medication being used for management of breakthroug (if yes) What is the cancer diagnosis? (if no) What is the diagnosis related to use?  Per the information given above, did your patient have docum						
Is this medication being used for management of breakthroug (if yes) What is the cancer diagnosis? (if no) What is the diagnosis related to use? Per the information given above, did your patient have docum  If requesting Abstral, Fentora, Lazanda: Is this medication being used for management of breakthroug (if yes) What is the cancer diagnosis? (if no) What is the diagnosis related to use?	ented inadequate response or intolerance to Subsys?  Yes No (see last question h cancer pain?  Yes No					
Is this medication being used for management of breakthroug (if yes) What is the cancer diagnosis? (if no) What is the diagnosis related to use? Per the information given above, did your patient have docum  If requesting Abstral, Fentora, Lazanda: Is this medication being used for management of breakthroug (if yes) What is the cancer diagnosis? (if no) What is the diagnosis related to use?	ented inadequate response or intolerance to Subsys?  Yes No (see last question  h cancer pain?  Yes No  ented inadequate response or intolerance to generic fentanyl lozenge?  Yes No (see last question					
Is this medication being used for management of breakthroug (if yes) What is the cancer diagnosis? (if no) What is the diagnosis related to use? Per the information given above, did your patient have docum  If requesting Abstral, Fentora, Lazanda: Is this medication being used for management of breakthroug (if yes) What is the cancer diagnosis? (if no) What is the diagnosis related to use? Per the information given above, did your patient have docum  Per the information given above, did your patient have docum  If requesting ConZip: Per the information given above, did your patient have a docu CAPSULES (generic ConZip)?	ented inadequate response or intolerance to Subsys?  Yes No (see last question  h cancer pain?  ented inadequate response or intolerance to generic fentanyl lozenge?  Yes No (see last question  ented inadequate response or intolerance to Subsys?  Yes No (see last question  mented intolerance to tramadol 100 mg, 200 mg or 300 mg ER  Yes No (see last question  mented intolerance to tramadol 50 mg tablets (generic Ultram)?					
Is this medication being used for management of breakthroug (if yes) What is the cancer diagnosis? (if no) What is the diagnosis related to use? Per the information given above, did your patient have docum  If requesting Abstral, Fentora, Lazanda: Is this medication being used for management of breakthroug (if yes) What is the cancer diagnosis? (if no) What is the diagnosis related to use? Per the information given above, did your patient have docum  Per the information given above, did your patient have a docu  If requesting ConZip: Per the information given above, did your patient have a docu CAPSULES (generic ConZip)? Per the information given above, did your patient have a docu	ented inadequate response or intolerance to Subsys?  Yes No (see last question)  h cancer pain?  ented inadequate response or intolerance to generic fentanyl lozenge?  Yes No (see last question)  ented inadequate response or intolerance to Subsys?  Yes No (see last question)  mented intolerance to tramadol 100 mg, 200 mg or 300 mg ER  Yes No (see last question)					
Is this medication being used for management of breakthroug (if yes) What is the cancer diagnosis?  (if no) What is the diagnosis related to use?  Per the information given above, did your patient have docum  If requesting Abstral, Fentora, Lazanda: Is this medication being used for management of breakthroug (if yes) What is the cancer diagnosis?  (if no) What is the diagnosis related to use?  Per the information given above, did your patient have docum  Per the information given above, did your patient have a docum  If requesting ConZip: Per the information given above, did your patient have a docum CAPSULES (generic ConZip)?  Per the information given above, did your patient have a docum capable information given above, did your patient have a docum per the information given above, did your patient have a docum capable information given above, did your patient have a docum per the information given above, did your patient have a docum per the information given above, did your patient have a docum capable information given above, did your patient have a docum per the information given above, did your patient have a docum per the information given above, did your patient have a docum per the information given above, did your patient have a docum per the information given above, did your patient have a docum per the information given above, did your patient have a docum per the information given above, did your patient have a docum per the information given above, did your patient have a docum per the information given above, did your patient have a docum per the information given above, did your patient have a docum per the information given above, did your patient have a docum per the information given above, did your patient have a docum per the information given above, did your patient have a docum per the information given above, did your patient have a docum per the information given above, did your patient have a docum per the information given above, did your patient have a docum per the information give	ented inadequate response or intolerance to Subsys?  Yes No (see last question  h cancer pain?  ented inadequate response or intolerance to generic fentanyl lozenge?  Yes No (see last question  ented inadequate response or intolerance to Subsys?  Yes No (see last question  mented intolerance to tramadol 100 mg, 200 mg or 300 mg ER  Yes No (see last question  mented intolerance to tramadol 50 mg tablets (generic Ultram)?  Yes No (see last question  mented intolerance to tramadol 100 mg, 200 mg or 300 mg ER TABLET					

If requesting levorphanol as IR or Roxicodone:  Per the information given above, did your patient have documented intolerance to any of the following drugs checked as tried? (see last question)  hydromorphone (generic Dilaudid) hydrocodone/acetaminophen (generic Lorcet, Norco, Vicodin, Xodol) morphine (generic MSIR) oxycodone (generic OxyIR, Roxicodone) oxycodone/acetaminophen (generic Percocet) oxymorphone (generic Opana)				
If requesting Subsys:  Is this medication being used for management of breakthrough cancer pain?  (if yes) What is the cancer diagnosis?  (if no) What is the diagnosis related to use?  Per the information given above, did your patient have documented inadequate response or intolerance to generic fentanyl lozenge?  Yes No (see last question)				
For the listed alternatives in the above questions that were NOT tried:  Is your patient able to try those drugs?  (if no) Please list all documented inability or contraindication per FDA label that your patient has to using each of those alternatives, including any reasons your patient is not a candidate to use those alternatives.				
Additional pertinent information: (please include other clinical reasons for drug, relevant lab values, etc.)				
Attestation: I attest the information provided is true and accurate to the best of my knowledge. I understand that the Health Plan or insurer its designees may perform a routine audit and request the medical information necessary to verify the accuracy of the information reported on this form.				
Prescriber Signature: Date:				
Save Time! Submit Online at: <a href="https://www.covermymeds.com/main/prior-authorization-forms/cigna/">www.covermymeds.com/main/prior-authorization-forms/cigna/</a> or via SureScripts in your EHR.				
Our standard response time for prescription drug coverage requests is 5 business days. If your request is urgent, it is important that you call us to expedite the request. View our Prescription Drug List and Coverage Policies online at cigna.com.				

v030120

"Cigna" is a registered service mark, and the "Tree of Life" logo is a service mark, of Cigna Intellectual Property, Inc., licensed for use by Cigna Corporation and its operating subsidiaries. All products and services are provided by or through such operating subsidiaries and not by Cigna Corporation. Such operating subsidiaries include, for example, Cigna Health and Life Insurance Company and Cigna Health Management, Inc. Address: Cigna Pharmacy Services, PO Box 42005, Phoenix AZ 85080-2005